



**WEST BENGAL STATE COUNCIL OF TECHNICAL & VOCATIONAL EDUCATION & SKILL
DEVELOPMENT**

[A Statutory Body under Government of West Bengal Act XXVI of 2013]
"Kargori Bhavan", 5th Floor, Plot No. B/7, Action Area-III, New Town, Rajarhat, Kolkata-700160

**Application Form for Pharmacy
(Academic Session 2024-25)**

Basic Details of Institute

Application Form No	: WBSCTVESD/TED/DPharm/12		
Name of the Institute	: DEBI COLLEGE OF PHARMACY		
Contact Number	: 7718530332		
Email ID	: erc.nadia@gmail.com		
Course Start	: 2024		
Website	: debipharmacollege.com		
PAN	: AABTE2706N		
GSTIN	: NA		
Institute Category	: Private	Institute Type	: New
Address	: Vill+PO-Tilakpur,PS-Chapra,Dist-Nadia,West Bengal,Pin-741164		
Sub-Division	: KRISHNAGAR SADAR	District	: NADIA
Municipality/Block	: CHAPRA	Police Station	: CHAPRA
Pin Code	: 741164	State	: WEST BENGAL

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Principle Details

Principal-in-Charge	: SOURAV BHATTACHARYA	Principal Number	: 7718530332
Registration Number of Principal	: A10301	Qualification	: MPharm
Year of Teaching Experience	: MPharm-Min 5 years	Date of joining the Institute	: 2024-07-01

Inspector Remarks

Confirm if the above given data by the institution is correct :

No

**Principal-in-Charge has been changed. New Principal-in-Charge joined this institute in 22/10/2024.
Principal-in-Charge Name: SuryaSen Sarkar Phone no.- 9563123130 Email Id- ts.st.gh.01@gmail.com
PCI Registration Number of Principal: A15553 Qualification: MPharm Year of Teaching Experience : 05
Years Date of Birth : 12/11/1990**

Pay Scale of Faculty Details

PF Pay	: No	Gratuity Pay	: No
Pension Benefit	: No		

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Noted

Trust Details

Name of Trust / NGO / Society : EDUCATIONAL RESEARCH COUNCIL
Type : Trust
Email ID : issrdindia@yahoo.co.in
Web Site : https://deblpharmacollege.com
Address : Vill+PO-Tilakpur,PS-Chapra,Dist-Nadia,West Bengal,Pin-741164

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Members of the Trust List

Name	Designation	Phone No	Email ID
AMAR CHANDRA BISWAS	SETTLER	7718530332	ISSRDINDIA@YAHOO.CO.IN
DEBI BISWAS	MEMBER	7872419239	debibiswas11111@gmail.com
PAPAI BISWAS	MEMBER	9614502848	PAPAIJEET2010@GMAIL.COM

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

WBSCTVESD Approval for another Course

Whether the institute conduct any other course which is not affiliated by WBSCTVESD : No

Name of the Course :

Affiliating Body of the Course :

Permission from AICTE / PCI for the Course :

Whether other Educational institutions are also being run by the Trust / Institution in the same Building / Campus : No

Explain :

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Building Details

Independent Building	: Yes	Building Type	: Own
Building under Mortgage/Loan	: No	Building Completion Certificate	: Yes
Building Insurance Certificate	: Yes	Building Fire Safety Certificate	: Yes
Building Area (Sq m)	: 2863.38	Wing of another College	: No
Separate Campus	: Yes	Multi Institutional Campus	: No
Whether land is OWN/Leased	: Yes	Continuous Land	: Yes
Total Land Area (Acres)	: 2.0147	Area shown in Banglar Bhumi App, acres	: 2.0147

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Financial Details

Fund Receipts

SL	Particulars	Amount
1	Grants	0
2	Tuition Fee	183000
3	Library Fee	6000

Fund Receipts		
SL	Particulars	Amount
4	Others	10000
	Total	199000

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Funds Expenditure		
SL	Particulars	Amount
CAPITAL EXPENDITURE		
1	Building	19165000
2	Equipment	573495
3	Others	60000
REVENUE EXPENDITURE		
1	Salary	310000
MAINTENANCE EXPENDITURE		
i)	College	200000
ii)	Others	50000
2	Others Expenditure	70000
3	Misc. Expenditure	40000
	Total Amount	360000

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Teaching Faculty for D.pharm Course

SL	Name	Designation	Qualification	DOJ	Exp	Reg No
1	Syed Rahaman	Assistant Professor	M.Pharm	2024-08-07	0	A30002
2	Amritanghsu Maity	Assistant Professor	M.Pharm	2024-08-08	0	A30087
3	Arnab Sadhukhan	Assistant Professor	M.Pharm	2024-08-06	0	A28675
4	Projna Mridha	Assistant Professor	M.Pharm	2024-08-06	0	A30854
5	Depanjan Mondal	Assistant Professor	M.Pharm	2024-08-07	0	A35136
6	Mirajuddin Mollick	Assistant Professor	M.Pharm	2024-08-08	0	A30010
7	Protap Pandit	Lecturer	B.Pharm	2024-08-07	5	A21471
8	Subhangan Bhowmik	Lecturer	B.Pharm	2024-08-07	3	A15821
9	Sourav Bhattacharya	Principal	M.Pharm	2024-08-07	9	A10301

Inspector Remarks

Confirm if the above given data by the institution is correct : No

Sourav Bhattacharya, Principal left the institution September 2024 Syed Rahaman, Amritanghsu Maity, Projna Mridha, Mirajuddin Mollick, Protap Pandit, Subhangan Bhowmik, - These Faculty Member are not available and they left the institute. Newly consent faculty members are: 1. Risav Das 2. Ashraful Mallick 3. Udipta Paul 4. Praysh Maiti 5. jyasmita Banerjee 6.Soumyajit Bhattacharyya

Non-teaching staff available for D. Pharm course

SL	Designation	Required Number	Required Qualification	Available Number	Available Qualification
1	Laboratory Technician	2	D. Pharm	2	D. Pharm
2	Gardener	1	Others	1	Others
3	Cleaning personnel	4	Others	4	Others
4	Peon	2	SSLC	2	SSLC
5	Computer Data Operator	1	10+2 with computer training	1	10+2 with computer training
6	Store Keeper	1	D. Pharm	1	D. Pharm
7	Account cum Clark Technician	1	Degree	1	Degree
8	Office Superintendent	1	Degree	1	Degree
9	Laboratory Assistants/Attendants	4	SSLC	4	SSLC

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Ok

Non-teaching staff members

SL	Name	Designation	Qualification	DOJ	Exp
1	Arup Ghosh	Gardener	Higher Secondary	2024-08-06	1
2	Hritam Mondal	Cleaning personnel	Higher Secondary	2024-08-08	0
3	Mrityunjay Mondal	Cleaning personnel	Madhyamik	2024-08-08	0
4	Sentu Halder	Cleaning personnel	Madhyamik	2024-08-07	0
5	Lalu Halder	Cleaning personnel	Madhyamik	2024-08-08	0
6	Papai Biswas	Computer Data Operator	B.A.(Hons)	2024-08-15	0
7	Prabir Halder	Peon	Madhyamik	2024-08-08	0
8	Mrimoy Biswas	Peon	Higher Secondary	2024-08-08	0
9	Enamul Haque	Office Superintendent	Higher Secondary	2024-08-17	0

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Hritam Mondal left the institution

Number of Staff/Faculty Members as per their Qualification

SL	B.Pharm Count	M.Pharm Count	PhD Count	Others - Full Time Count
1	2	7	0	0

Inspector Remarks

Confirm if the above given data by the institution is correct : No

Noted

Others Details

Whether facilities for Research/Higher studies are provided to the faculty ? : Yes

Whether faculty members are allowed to attend workshops and seminars? : Yes

Scope for the promotion for faculty : Yes

Gratuity Provided : No

Whether Supporting Staff (Technical and Administrative) are encouraged for Skill Upgradation Programs ? : Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Noted

Records Maintained

SL	Records	Status
1	Admissions Registers	Yes
2	Individual Service Register	Yes
3	Staff Attendance Registers	Yes
4	Sessional Marks Register	Yes
5	Final Marks Register	Yes
6	Student Attendance Registers	Yes
7	Minutes of meetings- Teaching Staff	Yes
8	Fee paid Registers	Yes
9	Acquittance Registers	Yes
10	Accession Register for books and Journals in Library	Yes
11	Log book for chemicals and Equipment costing more than Rupees one lakh	Yes
12	Job Cards for laboratories	Yes
13	Standard Operating Procedures (SOP's) for Equipment	Yes
14	Laboratory Manuals	Yes
15	Stock Register for Equipment	Yes
16	Animal House Records as per CPCSEA	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : No
Noted

Department wise List of Minimum Equipment required for D.Pharm

Sl	Name	Minimum required Nos. for DPharm 60 intake	Available Nos.	Working Condition
1	Microscopes	20	20	Yes
2	Haemocytometer with Micropipettes	20	20	Yes
3	Sahli's haemoglobinometers	20	20	Yes
4	Sphygmomanometers	5	5	Yes
5	Stethoscopes	10	10	Yes
6	Human Permanent Slides for various tissues	One pair of each tissue Organs and endocrine glands	10	Yes
7	Models for various organs	One model of each organ system	10	Yes
8	Specimen for various organs and systems	One model for each organ system	10	Yes
9	Different Contraceptive Devices and Models	One set of each device	10	Yes
10	Digital Balance (10 mg Sensitivity)	1	1	Yes
11	Computer with LCD	1	1	Yes
12	Licensed Software packages for Physiological & Pharmacological experiment	1	1	Yes
13	IR Thermometer	2	2	Yes
14	Refrigerator	1	1	Yes
15	Stop watch	20	20	Yes
16	Dummy Inhalers and Nebulizer	1	1	Yes
17	Digital BP Instrument	5	5	Yes
18	Mercury Thermometer	10	10	Yes
19	Digital Thermometer	10	10	Yes
20	Pulse Oximeter	5	5	Yes
21	ESR Apparatus (Westergren and Wintrobe)	10	10	Yes
22	Peak Flow meter	10	10	Yes
23	Stadiometer	2	2	Yes
24	Adult Weighing Scale (150 kg)	5	5	Yes
25	Glucometer	10	10	Yes
26	Projection microscope	1	1	Yes
27	Human Skeleton and bones	One set of skeleton and one spare bone	2	Yes
28	First aid equipment	-	10	Yes
29	Pharmacotherapeutic charts for various diseases & disorders	-	10	Yes
30	Surgical devices and Sutures	-	10	Yes
31	Permanent slide set of plants and charts for Pharmacognosy Lab	-	10	Yes
32	Drug information resources	-	10	Yes
33	Various types of PPE Kits,	-	10	Yes
34	Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health	-	10	Yes
35	Menstrual hygiene products	-	10	Yes
36	Display for various disinfectants, mosquito repellents etc	-	10	Yes
37	Water Testing Kit	-	10	Yes
38	Permanent slide of different microbes	-	10	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes
Noted

Pharmaceutical Chemistry/ Biochemistry, Clinical Pathology

Sl	Name	Minimum required Nos. for DPharm 60 Intake	Available Nos.	Working Condition
1	Hot plates	5	5	Yes
2	Hot Air Oven	1	1	Yes
3	Refrigerator	1	1	Yes
4	Analytical Balances for demonstration	1	1	Yes
5	Digital balance 10mg sensitivity	5	5	Yes
6	Magnetic Stirrers with Thermostat	10	10	Yes
7	Vacuum Pump	1	1	Yes
8	Digital pH meter	1	1	Yes
9	Wall Mounted Water Distillation Unit	2	2	Yes
10	Nessler's Cylinders	40	40	Yes
11	Digital Melting Point Apparatus	2	2	Yes
12	Thiele Tube	20	20	Yes
13	Digital Colorimeter	2	2	Yes
14	Thermostatic Water Bath	1	1	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Noted

Pharmaceutics

Sl	Name	Minimum required Nos. for DPharm 60 Intake	Available Nos.	Working Condition
1	Digital balance (10mg)	5	5	Yes
2	Microscopes	10	10	Yes
3	Autoclave	1	1	Yes
4	Vacuum Pump	1	1	Yes
5	Standard sieves, sieve no. 8, 10, 12, 22, 24, 44, 54, 60, 80, 85, 100, 120	10 sets	10	Yes
6	Tablet dissolution test apparatus IP (Digital single/double Unit)	1	1	Yes
7	Magnetic stirrer, 500ml and 1 liter capacity with speed control	5	5	Yes
8	Digital pH meter	1	1	Yes
9	Capsule Counter	2	2	Yes
10	Hot Plate	2	2	Yes
11	Distillation Unit	1	1	Yes
12	Tablet counter - small size	2	2	Yes
13	Hot air oven	1	1	Yes
14	Electric water bath unit	2	2	Yes
15	Stalagmometer	5	5	Yes
16	Desiccator	5	5	Yes
17	Buchner Funnels (Medium)	10	10	Yes
18	Filtration assembly with Vacuum Pump	1	1	Yes
19	Andreasen's Pipette	5	5	Yes
20	Ointment slab	20	20	Yes
21	Ointment spatula	20	20	Yes
22	Pestle and mortar porcelain	20	20	Yes
23	Refrigerator	1	1	Yes
24	Micrometre slide Eyepiece	5	5	Yes
25	Micrometre slide Stage	5	5	Yes
26	Viscometer Ostwald/Brookfield	1	1	Yes
27	Stop watch	1	1	Yes
28	Sintered glass filter with vacuum	4	4	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Noted

Machine Room

Sl. Name	Minimum required Nos. for DPharm 60 Intake	Available Nos.	Working Condition
1 Capsule filling machine	1	1	Yes
2 Automated Single Station Tablet punching machine	1	1	Yes
3 Tablet disintegration test apparatus IP (Digital Single/Double unit)	1	1	Yes
4 Monsanto's hardness tester	2	2	Yes
5 Pfizer type hardness tester	2	2	Yes
6 Friability test apparatus (Digital Single/Double unit)	1	1	Yes
7 Sieve shaker with sieve set	1	1	Yes
8 Ointment filling machine	1	1	Yes
9 All-purpose equipment with all accessories	1	1	Yes
10 Bottle washing Machine	1	1	No
11 Bottle Sealing Machine	1	1	Yes
12 Liquid Filling Machine	1	1	Yes
13 Ampoule washing machine	1	1	Yes
14 Ampoule filling and sealing machine (Jet Burner)	1	1	Yes
15 Clarity test apparatus	1	1	Yes
16 Collapsible tube - Filling and Sealing	1	1	Yes
17 Liquid Mixer	1	1	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Noted

Hospital and Clinical Pharmacy Lab

Sl. Name	Minimum required Nos. for DPharm 60 Intake	Available Nos.	Working Condition
1 Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc	-	5	Yes
2 Mannequins for CPR-1 (with indication Signals)	2	2	Yes
3 Mannequins for injection IV Arm	2	2	Yes
4 Variety of Needles	20	20	Yes
5 Variety of Syringes	20	20	Yes
6 Variety of catheters	5	5	Yes
7 IV set	20	20	Yes
8 Urine Bag	2	2	Yes
9 RYLE's tube	2	2	Yes
10 Urine pots	2	2	Yes
11 Colostomy bags	2	2	Yes
12 Oxygen masks	10	10	Yes
13 Inventory Software for Retail Pharmacy	1	1	Yes
14 Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc	-	5	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Inventory Software for Retail Pharmacy not found.

Model Pharmacy

Sl. Name	Minimum required Nos. for DPharm 60 Intake	Available Nos.	Working Condition
1 Computers: hospital and community pharmacy management software	1	1	Yes
2 Empty cartons of variety medicines (across variety dosage forms)	-	1	Yes
3 Various name plates indicating different parts of Pharmacy	-	40	Yes
4 Proper arrangement of medicines, shelves, racks, drawers	-	1	Yes

SL	Name	Minimum required Nos. for DPharm 60 intake	Available Nos.	Working Condition
5	Box/area for expiry medicines	-	1	Yes
6	Display windows, shelves	-	1	Yes
7	Computer	-	1	Yes
8	Refrigerator	-	1	Yes
9	Designated patient counselling area,	-	1	Yes
10	Patient Information Leaflets/Cards	-	1	Yes
11	Patient waiting area,	-	1	Yes
12	Drug Information books	-	1	Yes
13	Health information display	-	1	Yes
14	Various devices for screening services (B.P. monitor, glucometer etc)	-	1	Yes
15	Height and body weight chart	-	1	Yes
16	Dummy devices (eg. Inhalers)	-	1	Yes
17	Display of pharmacist registration, license and other licenses	-	1	Yes
18	Display of name of owner	-	1	Yes
19	Inspection book	-	1	Yes
20	Lock and key arrangement for Schedule X and NDPS medicines,	-	1	Yes
21	Bill book (dummy) , Computer stationary for bill printing	-	1	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct :

Yes

Adequate number of Various name plates indicating different parts of Pharmacy not found. Lock and key arrangement for Schedule X and NDPS medicines not functioning.

Class Room Details

SL	Required	Available
No of Class rooms	2	2
Area for each class room (for 60 students), Sq.mts	90	75

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Laboratory Requirement

SL	Name of Infrastructure	Requirement as per Norms	Available No.	Area in Sq. mts
1	Laboratory Area for D.Pharm Course	50 Sq mts x n	5	250
2	"Model Pharmacy" (Running Model Community Pharmacy - Essential along Drug Model Store)	01 (80 Sq mts, (Including 10 Sq. mt. for Drug Information Centre & 10 Sq. mt. for Patient Counselling)	1	80
3	Animal House If Yes	01 (10 sq.mts)	0	NA
4	Animal House If No	Computer simulated software is required	1	YES
5	Preparation Room for each lab (One room can be shared by two labs, if it is in between two labs)	10 Sq.mts (minimum)	5	50
6	Store Room - I	1 (Area 20 Sq mts)	1	70
7	Aseptic Room	01 (25 Sq mts)	1	25
8	Area of the Machine Room (Essential)	01 (100 Sq mts)	1	100
9	Store Room - II for Inflammable Chemicals	1 (Area 20 Sq mts)	1	20

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Other Requirement

Sl	Name of Infrastructure	Status
1	Existence of Gas, Electricity, Water Supply in Laboratories	Yes
2	Is social pharmacy laboratories maintained as per new regulations	Yes
3	All the Laboratories should be well lit & ventilated	Yes
4	All Laboratories should be provided with basic amenities and services like exhaust fans and fume chamber to reduce the pollution wherever necessary.	Yes
5	The water taps should be non-leaking and directly installed on sinks Drainage should be efficient.	Yes
6	Balance room should be attached to the concerned laboratories.	Yes
7	The workbenches should be smooth and easily cleanable preferably made of non-absorbent material.	Yes

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Subject With Laboratory

Sl	Part-1 / 1st Year	Part-2 / 2nd Year	Requirement as per Norms	Available No.	Area in Sq. mts
1	Pharmaceutics	Pharmacology	01 Laboratory	1	75
2	Pharmaceutical Chemistry	Community Pharmacy & Management	01 Laboratory	1	75
3	Pharmacognosy	Biochemistry & Clinical Pathology	01 Laboratory	1	75
4	Human Anatomy & Physiology	Pharmacotherapeutics	01 Laboratory	1	75
5	Human Anatomy & Physiology	Hospital & Clinical Pharmacy	01 Laboratory	1	75

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Administration Area

Sl	Name of Infrastructure	Requirement as per Norms in number	Requirement as per Norms in area	Available No	Area in Sq. mts
1	Staff / Faculty Rooms for D. Pharm course (Essential)	1	30 Sq mts	1	30
2	Library Room (Essential), 60 Seating Capacity	1	305 Sq mts	1	60 seating capacity
3	Computer Lab	1		1	80
4	Auditorium (Essential)	1	300 seating capacity	1	300 seating capacity
5	Office - I Including Confidential Room (Essential)	1	40 Sq mts	1	40
6	Principal's Chamber	1	20 Sq mts	1	20
7	Library with computer and reprographic facilities	1	100 Sq mts	1	100
8	Museum (Essential)	1	50 Sq mts	1	50
9	Seminar Hall (Essential)	1	100 Sq mts	1	100
10	Herbal Garden (Essential)	1	-	1	30
11	Central Instrumentation Room (Essential)	1	80 Sq mts	1	80

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Students Facilities

Sl	Name of Infrastructure	Requirement as per Norms in number	Requirement as per Norms in area	Available No	Area in Sq. mts
1	Canteen (Essential)	1	100 Sq mts	1	100
2	Toilet Blocks for Boys (Essential)	1	25 Sq mts	1	25
3	Girl's Common Room (Essential)	1	40 Sq mts	1	40
4	Boy's Common Room (Essential)	1	40 Sq mts	1	40
5	Drinking Water facility Water Cooler (Essential)	1		1	yes
6	Boy's Hostel (Desirable)	1	9 Sq mts / Room Single occupancy	1	300
7	Girl's Hostel (Desirable)	1	9 Sq mts / Room (single occupancy) 20 Sq mts/room	1	300
8	Power Backup Provision			1	yes
9	Toilet Blocks for Girls (Essential)	1	25 Sq mts	1	25

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Girls Hostel Not found. Drinking Water facility Water Cooler found but not functioning.

Computer and other Facilities

SL	Name of Infrastructure	Requirement as per Norms in area	Available No	Area in Sq. mts
1	Computer (latest Configuration)	1 system for every 10 students	10	
2	Printers	1 printer for every 10 computers	1	
3	Xerox Machine		1	
4	Multi Media Projector		1	

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Amenities

Sl	Name of Infrastructure	Requirement as per Norms in area	Status	Available No	Area in Sq. mts
1	Anti Ragging Cell		Yes	0	0
2	Gender Sensitization Cell		Yes	0	0
3	Anti Discrimination Cell		Yes	0	0
4	Career Guidance Cell/ Placement Cell		Yes	0	0
5	Principal quarters	80 Sq. mts	Yes	0	0
6	Staff quarters	6 x 80 Sq. mts	Yes	0	0
7	Parking Area for staff		Yes	0	0
8	Bank Extension Counter		Yes	0	0
9	Co operative Stores		Yes	0	0
10	Guest House		Yes	0	0
11	Transport Facilities for students		Yes	0	0
12	First Aid Room	10 Sq. mts	Yes	0	0

Inspector Remarks

Confirm if the above given data by the institution is correct
: Yes

Anti Ragging Cell, Gender Sensitization Cell, Anti Discrimination Cell, Career Guidance Cell/ Placement Cell- These body has been formed after the admission process. Bank Extension Counter , Co operative Store, Guest House - Not found

Library books and periodicals

SL	Name of Infrastructure	Requirement as per Norms in area	Status	Available No	Area in Sq. mts
1	Number of books	750 adequate coverage of a large number of standard text books and titles in all disciplines of pharmacy	Yes	750	0
2	Annual addition of books (for existing institutes)	75 books per year	No	0	0
3	Periodicals Hard copies / online	06 National Journals Indian Journal of Pharmaceutical Sciences Indian Journal of Pharmaceutical Education and Research Journal of Hospital Pharmacy Indian Journal of Pharmacology CIMS, MIMS Indian Journal of Experimental Biology.	Yes	5	0
4	Total Books of D Pharm Course	2900 Titles Required	Yes	2900	0
5		3450 Volume Required	Yes	3450	0
6		75 Journals Required	Yes	75	0

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

Total Books of D Pharm Course Available: 753 Journals Available- 12

Library books and periodicals

SL	Name of Subject	Titles	Available No
1	Pharmaceutics - I	24	115
2	Pharmaceutical Chemistry - I	15	55
3	Pharmacognosy	17	77
4	Human Anatomy & Physiology	9	60
5	Social Pharmacy	7	42
6	Pharmacology	10	47
7	Community Pharmacy & Management	7	20
8	Biochemistry & Clinical Pathology	5	43
9	Pharmacotherapeutics	3	22
10	Hospital & Clinical Pharmacy	7	38
11	Pharmacy Law & Ethics	6	30

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK

Library Staff

SL	Staff	Qualification	Required No	Available No	Qualification
1	Librarian	D. Lib	1	1	D. Lib
2	Library Attenders	10+ 2 / PUC	1	1	10+2

Inspector Remarks

Confirm if the above given data by the institution is correct : Yes

OK


Documents Upload List

SI	Documents Name	Status
1	Building Insurance Certificate	Uploaded
2	Land Deed (Sale or lease deed) in the name of the institute or Trust or Society	Uploaded
3	Laboratory Requirement (5 Laboratory Lab)	Uploaded

Sl	Documents Name	Status
4	Photo of Library (Image)	Uploaded
5	Preparation Room (Image)	Uploaded
6	Machine Room (Image)	Uploaded
7	Aseptic Room (Image)	Uploaded
8	Store Room - I (Image)	Uploaded
9	Store Room - II (Image)	Uploaded
10	Museum (Image)	Uploaded
11	Auditorium / Multi Purpose Hall(Image)	Uploaded
12	Herbal Garden (Image)	Uploaded
13	Girl's Common Room (Image)	Uploaded
14	Boy's Common Room (Image)	Uploaded
15	Toilet Blocks for Boys (Image)	Uploaded
16	Toilet Blocks for Girls (Image)	Uploaded
17	Drinking Water facility Water Cooler (Image)	Uploaded
18	Computer and Other Facilities (Image)	Uploaded
19	"Model Pharmacy" (Running Model Community Pharmacy - Essential along Drug Model Store) (Image)	Uploaded
20	Other Requirement (Like exhaust fans and fume chamber and Gas Supply and Water Supply)(Image)	Uploaded
21	Medical Facility (First Aid) (Image)	Uploaded
22	Audited financial Statement of Institute	Uploaded
23	Society Registration Certificate / Trust Deed	Uploaded
24	Land doc from Banglar Bhumi App	Uploaded
25	Property Tax document in the name of the institute or Trust	Uploaded
26	Building Completion Certificate	Uploaded
27	Complete List of Resources and Funding Agencies	Uploaded
28	Building Fire Safety Certificate	Uploaded
29	PCI Approval Letter	Uploaded
Inspector Remarks		
Confirm if the above given data by the institution is correct : Yes		OK


Latitude : 22.8425728

Longitude : 88.6177792


 21.11.2024
 Signature
 of with Seal of Head of Institute

Principal
Debi College of Pharmacy
 P.O. Telakpur, Dt. Nalanda, W.B.


 21/11/24
 Signature
 of Inspection Officer 1


 21/11/24
 Signature
 of Inspection Officer 2